

1. PET bottle scrap in balls.

Bottles have been prewashed, passed through automatic and manual sorting.

>70% are transparent bottle and remaining mixed colors. Only PET inside. All bottles are with 360 degree PVC labels.

Loading capability : 11-12tn / 40 ft container or LKW.



2. PE and PP film scrap in balls.

Film have been selected separately , passed through automatic and manual sorting.

95% PE and 5% PP inside.

Loading capability : 22-23 tn / 40ft container or LKW.



3. PET powder.

Transparent with 4% blue color inside. Moisture is 2% approx. 100% PET inside

Loading capability : 22-23tn / 40 ft container or LKW.



4. HDPE+PP caps flakes.

70% HDPE & 30% PP caps. Material has been washed 2 times and passed through floatation. No labels inside.

Loading capability : 22-23tn / 40 ft container or LKW.



5. PET flakes mixed color.

Material is crushed through 10mm sieve. Caps and labels are inside. Only prewashed with no flotation.

Loading capability : 20 tn / 40 ft container or LKW.



6. Used Rubber Conveyor belts with steel core.

Available Lengths	50m -100m rolled
Available Widths	1200mm – 1400mm – 1600mm – 1800mm
Available thickness	15mm-20mm. Thickness of steel core approx.5mm.
Packing & Loading	Rolled in 20'containers. Approximate load 18.500kg-23.000kg

Special Dimensions

Length	50m-150m loose
Width	2400mm
Thickness	20mm-30mm
Packing & Loading	Loose in 40'containers, or open box. Approximate load 18.500kg – 22.000kg.

Clarifications

- We have a rolled available quantity of 2000tn. Quantity is ongoing.
- 3 Containers / day can be loaded, 5 times a week.
- The belts are 140km from Thessaloniki port.
- HS Code 4010110000
- Maximum loading weight can be obtained if multiple sizes are loaded.



Supplier is large Greek Recycling manufacturer and qualified exporter with all the necessary export and quality certificates.